

# MONTANA TIMBER PRODUCTS



## SPECIFICATION SHEET

|   |  |
|---|--|
| <b>CSI DIVISION:</b>  | <ul style="list-style-type: none"> <li>06 46 00 WOOD TRIM, SOFFITS, PANELING</li> <li>07 46 00 WOOD SIDING</li> </ul>  |
| <b>MANUFACTURER:</b>  | <ul style="list-style-type: none"> <li>Montana Timber Products</li> </ul>  |
| <b>PRODUCT:</b>   | <ul style="list-style-type: none"> <li>ranchwood™ - No equal</li> </ul>  |
| <b>SPECIES:</b>   | <ul style="list-style-type: none"> <li>Douglas Fir   Western Red Cedar   Hemlock   Thermally Modified Hemlock &amp; Thermally Modified Southern Yellow Pine</li> </ul>   |
| <b>APPLICATIONS:</b>  | <ul style="list-style-type: none"> <li>Exterior - Siding, soffit, trim, fascia, and fencing</li> <li>Interior - Wall &amp; ceiling cladding</li> </ul>   |
| <b>COATING PRODUCT:</b>   | <ul style="list-style-type: none"> <li>SEAL-ONCE® - Ultra-low VOC, water-based stain and sealer (applied on 6 sides of board)</li> </ul>   |
| <b>COLORS:</b>  | <ul style="list-style-type: none"> <li>Tackroom   Prairie   Eastern   Western   Yellowstone Greenhorn   Southern   Northern</li> </ul>   |
| <b>STANDARD TEXTURES:</b>   | <ul style="list-style-type: none"> <li>Smooth   Wire Brushed   Circle Sawn   Hand Hewn   Pioneer</li> </ul>  |
| <b>STANDARD PROFILES:</b>   | <ul style="list-style-type: none"> <li>Shiplap   Square Edge Lap   Channel Rustic   T&amp;G   Square Edge   Tex Gap</li> </ul>   |
| <b>OPTIONAL FIRE TREATMENTS:</b>                                    | <ul style="list-style-type: none"> <li>Thermex-FR (Fireline™) - WUI compliant   Class A   Fire Retardant Treated Wood (FRTW)</li> <li>FX Lumberguard XT - Topical Coating   Class A   UL Greenguard</li> </ul> |
| <b>LIMITED WARRANTY:</b><br>(see warranty document for all details) | <ul style="list-style-type: none"> <li>10 years for water ingress (vertical surfaces)</li> <li>6 years for water ingress (horizontal surfaces)</li> </ul>  |

| STANDARD SPECIES:       | Douglas Fir  | Western Red Cedar                       | Hemlock<br>(soffit & interiors) | Thermally Modified<br>Hemlock  | Thermally Modified<br>Southern Yellow Pine |
|-------------------------|--|---|---------------------------------|--------------------------------|--|
| <b>STANDARD GRADE:</b>  | #2 & Btr   | Select Tight Knot                       | Clear Vertical Grain            | Clear Vertical Grain           | Clear Mixed Grain                          |
| <b>OPTIONAL GRADES:</b> | N/A  | Clear Vertical Grain                    | N/A                             | N/A                            | N/A  |
| <b>MOISTURE CONTENT</b> | Kiln Dried (KD) to less than 15%   |   |                                 | ≤ 9%                           | ≤ 9%                                       |
| <b>NOM. THICKNESS:</b>  | 1" & 2"  | 1", 5/4", & 2"                          | 1" & 2"                         | 1" & 5/4"                      | 1" & 5/4"                                  |
| <b>NET THICKNESS:</b>   | 3/4" & 1-3/4"  | 3/4", 15/16" & 1-1/2"                   | 3/4" & 1-1/2"                   | 3/4" & 15/16"                  | 3/4" & 15/16"                              |
| <b>NOMINAL WIDTHS:</b>  | 4", 6", 8", 10"  | 4", 6", 8", 10", 12"                    | 4" & 6"                         | 4", 6", 8", 10"                | 4", 6", 8", 10"                            |
| <b>NET WIDTHS:</b>      | 3-5/8", 5-5/8", 7-5/8", 9-5/8"   | 3-1/2", 5-1/2", 7-1/4", 9-1/4", 11-1/4" | 3-1/2", 5-1/2", 7-1/4"          | 3-1/2", 5-1/2", 7-1/4", 9-1/4" | 3-1/2", 5-1/2", 7-1/4", 9-1/4"             |
| <b>RANDOM LENGTHS:</b>  | 90% of random length will tally from 8' - 20'. 10% or less will tally from 4' - 7'. No guarantees of specific lengths. |   |                                 |                                |  |
| <b>NET SIZING</b>       | Custom net sizing available (inquire with sales associate)   |   |                                 |                                |  |